


## DS-K3B411X-BASE Base



- Material: SUS304, aluminum plate with pattern, and galvanization panel
- Cable holes on the base for cable wiring
- The base size varies according to the lane width
- Multiple lanes available: Installs with the single and multiple components




▪ **Specification**

General	
Dimensions	650: 1050 mm × 1475.2 mm × 36 mm (41.3" × 58.1" × 1.4") 750: 1150 mm × 1475.2 mm × 36 mm (45.3" × 58.1" × 1.4") 900: 1300 mm × 1475.2 mm × 36 mm (51.2" × 58.1" × 1.4") 1100: 1500 mm × 1475.2 mm × 36 mm (59.1" × 58.1" × 1.4")
Weight	With package: 55 kg (121.3 lb) Without package: 50 kg (110.3 lb)
Material	Pedestal installation area: SUS304 Lane: Aluminum plate (with pattern) Framework: Galvanization panel

▪ **Available Model**

DS-K3B411X-BASE650-S, DS-K3B411X-BASE750-S, DS-K3B411X-BASE900-S, DS-K3B411X-BASE1100-S,  
DS-K3B411X-BASE650-M, DS-K3B411X-BASE750-M, DS-K3B411X-BASE900-M, DS-K3B411X-BASE1100-M

▪ **Dimension**





117/8, Changwatthana 10, LakSi, Bangkok 10210  
Phone : (66 2) 094-0800  
E-mail : sale@bainisys.com  
Line Chat : @Bainisys

